

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Toilet Bowl Cleaner Complete

Clean Power

CAS # Mixture

This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the Canadian Workplace Hazardous

Materials Information System (WHMIS).

This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with

the applicable government regulation.

Product Use Toilet bowl cleaner

Distributed by Reckitt Benckiser (Canada) Inc.


1680 Tech Avenue Unit #2 Mississauga, ON L4W 5S9

In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency Overview DANGER

CORROSIVE TO EYES AND SKIN HARMFUL OR FATAL IF SWALLOWED. Avoid contact with eyes, skin or clothing.

DO NOT breathe vapour.

DO NOT mix with bleach or other chlorinating compounds.

This product should not be used or placed on toilet lids, vanities, sinks, bathtubs,

cabinets, countertops, rugs, floors, etc.

Keep out of reach of children.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Corrosive to the eyes and may cause severe damage including blindness.

Skin Corrosive to skin.

Not expected to be a skin sensitizer.

Inhalation Do not breathe vapours or fumes from the drain.

IngestionHarmful or fatal if swallowed.Target organsEyes. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Signs and symptoms The product causes burns of eyes, skin and mucous membranes.

Potential environmental effects See section 12.

3. Composition/information on ingregient	ion/Information on Ingi	redients
------------------------------------------	-------------------------	----------

Ingredient(s)	CAS#	Percent
Methyl salicylate	119-36-8	0.1 - 1
Ethoxylated aliphatic amines	61791-26-2	1 - 5
Alcohols, C12-16, ethoxylated	68551-12-2	1 - 5
Hydrochloric acid	7647-01-0	7 - 13

4. First Aid Measures

First aid procedures

Eye contact If splashed in eyes, immediately flush eyes thoroughly with water. Remove any contact

lenses and continue to flush eyes with water for 15 minutes. Get medical attention

immediately.

Skin contact If splashed on skin, immediately flush with soap and water. Get medical attention if

irritation persists.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

Ingestion If swallowed, give three to four glasses of water. Do not induce vomiting. Call physician

or Poison Control Centre IMMEDIATELY.

Notes to physician If the product is ingested, probable mucosal damage may contraindicate the use of

gastric lavage. Treat the affected person appropriately. Symptoms may be delayed. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect

themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting Measures

Flammable properties Not flammable by WHMIS criteria.

Extinguishing media

General advice

Suitable extinguishing media Dry chemical. Water spray. Foam.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighers

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products May include and are not limited to: Hydrogen chloride. Oxides of carbon. Oxides of

nitrogen.

Explosion data

Sensitivity to mechanical impact Not available
Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental precautions Do not discharge into lakes, streams, ponds or public waters.

Advise authorities if product has penetrated drains, sewers or water pipes.

Methods for containment Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Methods for cleaning up Before attempting clean up, refer to hazard data given above. Small spills may be

absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use. Large Spills: Wet down with water and dike for later disposal. After removal flush

contaminated area thoroughly with water.

7. Handling and Storage

Handling Ensure adequate ventilation.

Avoid contact with eyes, skin or clothing.

DO NOT breathe vapour.

Do not ingest.

Use good industrial hygiene practices in handling this material.

Wash thoroughly with soap and water after handling.

Read and follow product label instructions.

Storage Storage Store in original container out of reach of small children. Keep securely closed in a cool,

well ventilated area. DO NOT reuse empty container. Rinse and discard or offer for

recycling where facilities exist. Keep out of reach of children.

8. Exposure Controls / Personal Protection

Exposure limit values		
Ingredient(s)	Exposure limit values	
Alcohols, C12-16, ethoxylated	ACGIH-TLV	
	Not established	
Ethoxylated aliphatic amines	ACGIH-TLV	
	Not established	
Hydrochloric acid	ACGIH-TLV	
	Ceiling: 2 ppm	
Methyl salicylate	ACGIH-TLV	

Not established

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.

Eye / face protection Wear chemical goggles.

Emergency responders should wear full eye and face protection.

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Emergency responders should wear impermeable gloves.

Skin and body protection Usual safety precautions while handling the product will provide adequate

protection against injury or irritation. Follow label directions carefully. In case of continuous exposure or occupational operations, wear protective

clothing designed and appropriate for acid chemical exposure.

Emergency responders should wear impermeable clothing and footwear when

responding to a situation where contact with the liquid is possible.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Wash hands before breaks and immediately after handling the product.

Avoid contact with skin, eyes and clothing.

9. Physical and Chemical Properties

AppearanceClearColourBlueFormLiquidOdourWintergreenOdour thresholdNot availablePhysical stateLiquid

pH
 Freezing point
 Boiling point
 Pour point
 Pour point
 Not available
 Pour point
 Evaporation Rate
 Not available

Flash point > 93.33 °C (> 200 °F) Tagliabue

Auto-ignition temperature Not available Flammability limits in air, lower, % Not available

by volume

Flammability Limits in Air, Upper, %

by Volume

Not available

Vapour pressure

Vapour density

Not available

Specific gravity

1.040 - 1.050

Octanol/water coefficient

Not available

Not available

Complete

Viscosity

Viscous

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous reactions Hazardous polymerisation does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Do not mix with other chemicals.

Reacts violently with alkaline material.

This product may react with reducing agents.

Fumes are corrosive to metal. Excessive heat and moisture.

DO NOT MIX WITH BLEACH or use in conjunction with other household products.

Incompatible materials Bases. Reducing agents.

Hazardous decomposition products May include and are not limited to: Hydrogen chloride. Oxides of nitrogen. Oxides of

carbon.

11. Toxicological Information

Component analysis - LC50	
Ingredient(s)	LC50
Alcohols, C12-16, ethoxylated	Not available
Ethoxylated aliphatic amines	Not available
Hydrochloric acid	554 ppm mouse
Methyl salicylate	Not available
Component analysis - Oral LD50	
Ingredient(s)	LD50
Alcohols, C12-16, ethoxylated	1380 mg/kg rat
Ethoxylated aliphatic amines	620 mg/kg rat
Hydrochloric acid	900 mg/kg rabbit; 700 mg/kg rat
Methyl salicylate	887 mg/kg rat; 1110 mg/kg mouse; 2100 mg/kg dog; 1300 mg/kg rabbit; 700 mg/kg guinea pig

Effects of acute exposure

Eye Corrosive to the eyes and may cause severe damage including blindness.

Skin Corrosive to skin.

Not expected to be a skin sensitizer.

Inhalation Do not breathe vapours or fumes from the drain.

Ingestion Harmful or fatal if swallowed.

SensitisationThe finished product is not expected to have chronic health effects. **Chronic effects**The finished product is not expected to have chronic health effects.

Carcinogenicity The finished product is not expected to have chronic health effects.

The finished product is not expected to have chronic health effects. Mutagenicity The finished product is not expected to have chronic health effects. Reproductive effects The finished product is not expected to have chronic health effects. **Teratogenicity**

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. **Ecotoxicity**

Control and clean up all exterior spills and prevent liquid from entering any streams,

rivers, lakes and all other bodies of water.

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Hydrochloric acid 7647-01-0 96 Hr LC50 Gambusia affinis: 282 mg/L [static]

Ecotoxicity - Water Flea - Acute Toxicity Data

24 Hr EC50 Daphnia magna: 50 mg/L Methyl salicylate 119-36-8

Persistence and degradability Not available Bioaccumulation/accumulation Not available Mobility in environmental media Not available Not available **Environmental effects** Aquatic toxicity Not available Partition coefficient Not available Chemical fate information Not available Other adverse effects Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations. **Disposal instructions**

DO NOT reuse empty container. Rinse and discard or offer for recycling where facilities

Large quantities of waste liquid: Contain and collect for evaluation and disposal

according to local, state, provincial and federal regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1760, Corrosive Liquid, N.O.S. (Hydrochloric acid, Hydroxyethyl alkylamine) Class 8, PG II, Limited Quantity

#23086 Page 5 of 7 Issue date 14-Sept-2012

Transportation of Dangerous Goods (TDG - Canada)

UN 1760, Corrosive Liquid, N.O.S. (Hydrochloric acid, Hydroxyethyl alkylamine) Class 8, PG II, Limited Quantity

IMDG (Marine Transport)

UN 1760, Corrosive Liquid, N.O.S. (Hydrochloric acid, Hydroxyethyl alkylamine) Class 8, PG II, Limited Quantity

IATA/ICAO (Air)

UN 1760, Corrosive Liquid, N.O.S. (Hydrochloric acid, Hydroxyethyl alkylamine) Class 8, PG II

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Product Registration: Registered with TPD, DIN 02275465

Canada - WHMIS - Ingredient Disclosure List

 Hydrochloric acid
 7647-01-0
 1 %

 Methyl salicylate
 119-36-8
 0.1 %

WHMIS classification Exempt - Registered product - (DIN 02275465)

Inventory Status

Country(s) or region Inventory Name On Inventory (Yes/No)*

Canada Domestic Substances List (DSL) Yes

Canada Non-Domestic Substances List (NDSL) No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer This product should only be used as directed on the label and for the purpose intended.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only

hazards that exist.

Further information LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Toilet Bowl Cleaner Complete Clean

Power, 710 mL/ 946mL - 0259960v1.0

 Issue date
 14-Sept-2012

 Effective Date
 15-Sept-2012

 Expiry Date
 15-Sept-2015

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other Information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.