

```

<?php
//BindEvents Method @1-A663F2F7
function BindEvents()
{
    global $house_meeting;
    $house_meeting->hm_date->CCSEvents["BeforeShow"] = "house_meeting_hm_date_BeforeShow";
    $house_meeting->hm_location->CCSEvents["BeforeShow"] = "house_meeting_hm_location_BeforeShow";
    $house_meeting->ListBox1->ds->CCSEvents["BeforeBuildSelect"] = "house_meeting_ListBox1_ds_Befor
    $house_meeting->CCSEvents["AfterInsert"] = "house_meeting_AfterInsert";
}
//End BindEvents Method

//house_meeting_hm_date_BeforeShow @10-FAB2FE72
function house_meeting_hm_date_BeforeShow(& $sender)
{
    $house_meeting_hm_date_BeforeShow = true;
    $Component = & $sender;
    $Container = & CCGetParentContainer($sender);
    global $house_meeting; //Compatibility
//End house_meeting_hm_date_BeforeShow

//Custom Code @29-2A29BDB7
// -----
// Write your own code here.
$curDate2 = date("m/d/Y");
$house_meeting->hm_date->SetText($curDate2);
// -----
//End Custom Code

//Close house_meeting_hm_date_BeforeShow @10-9E63DF47
return $house_meeting_hm_date_BeforeShow;
}
//End Close house_meeting_hm_date_BeforeShow

//house_meeting_hm_location_BeforeShow @12-4ED1390B
function house_meeting_hm_location_BeforeShow(& $sender)
{
    $house_meeting_hm_location_BeforeShow = true;
    $Component = & $sender;
    $Container = & CCGetParentContainer($sender);
    global $house_meeting; //Compatibility
//End house_meeting_hm_location_BeforeShow

//Custom Code @39-2A29BDB7
// -----
// Write your own code here.

// $hmInd = CCDLookUp("loc_name","csc_staff_trg_list","user_name=". $DBConnection4->ToSQL(CC

$DBConnection4 = new clsDBConnection1();
$hmLocFilter = CCDLookUp("loc_name","csc_staff_trg_list","user_name=". $DBConnection4->ToSQ
$user_filter = CCDLookUp("user_level","csc_staff_trg_list","user_name=". $DBConnection4->To
$curCoordinator = CCDLookUp("coordinator","csc_staff_trg_list","user_name=". $DBConnection4
$fn = CCDLookUp("cm_fn","csc_staff_trg_list","user_name=". $DBConnection4->ToSQL(CCGetUserL
$ln = CCDLookUp("cm_ln","csc_staff_trg_list","user_name=". $DBConnection4->ToSQL(CCGetUserL
$hmUserID = CCDLookUp("cm_user_id","csc_staff_trg_list","user_name=". $DBConnection4->ToSQ
$hmUserName = CCDLookUp("user_name","csc_staff_trg_list","user_name=". $DBConnection4->ToS
// $locResidence = CCDLookUp("user_name","csc_staff_trg_list","user_name=". $DBConnection4-
$hmUserIP = $DBConnection4->ToSQL($_SERVER['REMOTE_ADDR'],ccsText);

$DBConnection4->close();

```

```

$house_meeting->hm_coordinator->SetValue($curCoordinator);
$house_meeting->hm_location->SetValue($hmLocFilter);
$house_meeting->hm_staff_name->SetValue($fn . " " . $ln);
$house_meeting->Hidden1->SetValue($hmUserID);
$house_meeting->Hidden2->SetValue($hmUserName);
$house_meeting->Hidden3->SetValue($hmUserIP);

$DBConnection5 = new clsDBConnection2();
$LastID = CCDLookup("max(hm_id)", "house_meeting", "hm_user_name=" . $DBConnection5->ToSQL(CCG
$DBConnection5->close());

```

```

// -----
//End Custom Code

```

```

//Close house_meeting_hm_location_BeforeShow @12-963EC39B
return $house_meeting_hm_location_BeforeShow;
}
//End Close house_meeting_hm_location_BeforeShow

```

```

//house_meeting_ListBox1_ds_BeforeBuildSelect @51-D4B1BCB1
function house_meeting_ListBox1_ds_BeforeBuildSelect(& $sender)
{
    $house_meeting_ListBox1_ds_BeforeBuildSelect = true;
    $Component = & $sender;
    $Container = & CCGetParentContainer($sender);
    global $house_meeting; //Compatibility
//End house_meeting_ListBox1_ds_BeforeBuildSelect

```

```

//Custom Code @52-2A29BDB7
// -----
// Write your own code here.
$db5 = new clsDBConnection1();
$locName = CCDLookup("loc_name", "csc_staff_trg_list", "user_name=" . $db5->ToSQL(CCGetUserLogin(),
$house_meeting->ListBox1->DataSource->Where = "residence =" . "" . $locName . "";
$house_meeting->ListBox1->DataSource->Order = " cname";
//$db5->close();
// -----
//End Custom Code

```

```

//Close house_meeting_ListBox1_ds_BeforeBuildSelect @51-1B3AEA61
return $house_meeting_ListBox1_ds_BeforeBuildSelect;
}
//End Close house_meeting_ListBox1_ds_BeforeBuildSelect

```

```

//house_meeting_AfterInsert @2-063B93C4
function house_meeting_AfterInsert(& $sender)
{
    $house_meeting_AfterInsert = true;
    $Component = & $sender;
    $Container = & CCGetParentContainer($sender);
    global $house_meeting; //Compatibility
//End house_meeting_AfterInsert

```

```

//Custom Code @40-2A29BDB7
// -----
// Write your own code here.
$DBConnection4 = new clsDBConnection2();
global $Redirect;

```

```

//Retrieve the last inserted key if a new user is registered

```

```
//This method of retrieving the last inserted key is safe because the value of the user_login fie
if(!CCGetFromGet("user_name","")) {
    $LastID = CCDLookup("max(hm_id)","house_meeting","hm_user_name=" . $DBConnection4->ToSQL(CCGetU
    if (strpos($Redirect,"?") == false ) {
        $Redirect = $Redirect."?hm_id=".$LastID;
    } else if (substr($Redirect,-1) == "?" ) {
        $Redirect = $Redirect."hm_id=".$LastID;
    } else {
        $Redirect = $Redirect."&hm_id=".$LastID;
    }
}
```

```
// -----
//End Custom Code
```

```
//Close house_meeting_AfterInsert @2-8B7061B3
    return $house_meeting_AfterInsert;
}
//End Close house_meeting_AfterInsert
```

```
?>
```